

COMPLIANT



MODEL TEMPTREAD MODULAR

- Eliminates Tripping Hazard and Liability of Unfilled Stair Pans
- Contrasting Stripe Options for Low Light Conditons
- Slip Resistant Surface, Snug Fit
- Non-fire Rated / Safety Stripe Optional
- Comes in 20" Lengths
 Use Multiple Pieces to Fill Pans
- Fits Pan Depths:
 - 1.5 +
 - Use Spacer to Fit Deeper Pan Stairs

Easy install and removal prior to concrete pour

For pan filled metal stairs

No more unsafe wood infills

ENGINEERED TO IMPROVE SAFETY AND SAVE MONEY.







MODEL TREADX UNIVERSAL

- Arrives Cut to Spec.
- Fits 1.5" + Pan Fill, Flat Pan Stairs and/or Landings
- Optional Shims Supplied
- Extremely Durable
- Impervious to
 Weather & Water
- Easily Cut with Saw as Needed



PERMANENT NON-SKID SURFACE

INCLUDES OSHA SAFETY STRIPE

INCLUDES CLASS B FIRE RATING Easy install and removal prior to concrete pour

a second second

No more unsafe wood infills

ENGINEERED TO IMPROVE SAFETY AND SAVE MONEY.





(971) 772 - 4553 sales@nationalstair.com

2 of 6



3 of 6

MODEL TREADX SANITARY COVE

- Arrives Cut to Spec.
- Fits 1.5"+ Pan Fill Stairs
- Optional Shims Supplied
- For Sanitary Cove Stair Pans
- Extremely Durable
- Impervious to Weather & Water
- Easily Cut with Saw as Needed



PERMANENT NON-SKID SURFACE INCLUDES OSHA SAFETY STRIPE INCLUDES CLASS B FIRE RATING



Easy install and removal prior to concrete pour

a fr Balling and

No more unsafe wood infills

ENGINEERED TO IMPROVE SAFETY AND SAVE MONEY.







100% RECYCLED TEMPORARY STAIR TREADS FOR PAN FILLED LANDINGS

v.1.5

MODEL TREADX LANDING

- Arrives Cut to Spec.
 Up to 16 LF
- Optional Shims Supplied
- Extremely Durable
- Impervious to Weather & Water
- Easily Cut with Saw as Needed
- Reusable / Recyclable






PERMANENT NON-SKID SURFACE

OPTIONAL CLASS B FIRE RATING





Easy install and removal prior to concrete pour



No more unsafe wood infill landings

ENGINEERED TO IMPROVE SAFETY AND SAVE MONEY.







5 of 6

v.1.5

MODEL TREADX STANDARD PROFILE

- Arrives Cut to Spec.
- Fits 1.5", 1.75", 2.0" + Pan Fill Stairs. (Special Profiles)
- Shims not Required
- Extremely Durable
- Impervious to
 Weather & Water
- Easily Cut with Saw as Needed



PERMANENT NON-SKID SURFACE

OPTIONAL OSHA SAFETY STRIPE

OPTIONAL CLASS B FIRE RATING

Easy install and removal prior to concrete pour

Martin - 100 9

No more unsafe wood infills

ENGINEERED TO IMPROVE SAFETY AND SAVE MONEY.









MODEL TREADX FLAT PAN

- Arrives Cut to Spec.
- Provides Non-slip, Contrast Stripe, Protect Surfaces during Construction
- Holds in Place with Wedge
- Extremely Durable
- Impervious to Weather & Water
- Easily Cut with Saw as Needed



PERMANENT NON-SKID SURFACE

OPTIONAL OSHA SAFETY STRIPE

OPTIONAL CLASS B FIRE RATING

Easy install and removal during construction

No more unsafe wood protection

ENGINEERED TO IMPROVE SAFETY AND SAVE MONEY.





(971) 772 - 4553 sales@nationalstair.com

6 of 6